

# Technical Data Sheet 60 Day Window Protection Film

#### **PRODUCT DESCRIPTION: COLOR BLUE OR CLEAR**

This product is a temporary protective mask designed for outdoor and indoor use. It adheres to window glass, vinyl, plastics, and metal. The film contains a UVI additive that ensures clean removal of the film after prolonged exposure to sunlight. The window protection film is available in clear and blue.

PRODUCT PROPERTIES / <u>CHARACTERISTICS:</u>	NOMINAL RESULTS
Adhesion to Steel: PSTC 1 (oz / in)	3.0 to 6.0
Tack Level:	Medium
Tensile Strength: PSTC 31 (lb / sq. inch)	5
Elongation (%): PSTC 31	325
Thickness: PSTC 33	1.5 mils
The values listed above are averages determined by standard production testing procedures. The suitability for use shall be determined by the user for the particular application.	
<b>Limitations of Warranty:</b> Rescom Products and seller warrants to customers that coated products constructed and delivered by Rescom Products and seller to be free of defects in workmanship and to meet the specifications published by Rescom Products which are available upon request. For a period of six (6) months from date of delivery and in the event of Rescom Products brand product proved to be defective, the excluding solution, at Rescom Product's option, shall be a) refund the purchase price b) repair or c) replace the defective product. No acceptance or responsibility for loss, or expense, implied or otherwise, shall be assumed by seller or manufacturer. User assumes all risk and liability in connection herewith. This stated Warranty & Limitation of Liability can only be changed through a written agreement by an authorized officer of Rescom Products.	

60

6/16



# Material Safety Data Sheet Window Film

## Section I PRODUCT INFORMATION

**PRODUCT NAME:** 15LUV45 **CHEMICAL FAMILY:** Protective Masking Tape **FORMULA:** General Purpose Polyethylene film coated with Pressure Sensitive Water Based Acrylics Adhesive.

#### Section II HAZARD RATING

- HEALTH: 0
- **REACTIVITY:** 0
- FLAMMABILITY: 0
- **PERSONAL PROTECTION:** C

## Section III HAZARDOUS INGREDIENTS

CHEMICAL NAME CAS NUMBER PEL TLV-TWA NONE

# Section IV PHYSICAL DATA

<b>BOILING POINT:</b>	N/A
MOLECULAR WEIGHT:	N/A
VAPOR PRESSURE:	N/A
VAPOR DENSITY:	N/A
SPECIFIC GRAVITY:	0.895 - 0.965
EVAPORATION RATE:	N/A
SOLUBILITY:	N/A
PHYSICAL STATE:	SOLID
ODOR:	SLIGHT
COLOR:	CLEAR OR BLUE

## Section V FIRE & EXPLOSION DATA

FLASH POINT (CC): N/A AUTOIGNITION TEMP: N/A EXTINGUISHING MEDIA: WATER, CO2, Dry Chemical Foam

**SPECIAL FIRE FIGHTING:** Respirator should be worn due to possible generation of toxic fumes.

**UNUSUAL FIRE HAZARDS:** Fire of excessive heat above 550 degrees may produce decomposition products such as carbon, carbon monoxide and carbon dioxide.

6/16

61



# Material Safety Data Sheet Window Film

### Section VI REACTIVITY DATA

**STABILITY**: Stable **INCOMPATIBILITY**: None known **HAZARDOUS DECOMP**.: May produce oxides of carbon or nitrogen upon heat decompostion. **HAZARD POLYMERIZATION**: None known

### Section VII HEALTH HAZARD DATA

EYES: Wear eye protection while handling. Eye contact may cause irritation.
SKIN: Absorption through the skin is unlikely. The product is essentially non-irritating.
INHALATION: This product is an inert solid at room temperature.
INGESTION: None known (May cause choking, if swallowed.)
ACUTE HAZARD: This product does not contain any components that have recognized exposure limits.
CHRONIC HAZARD: None known

### Section VIII EMERGENCY & FIRST AID

**EYES:** Flush eyes with water for at least 15 minutes. Consult physician if irritation persists. **SKIN:** Wash affected areas with soap and water. Consult physician if irritation persists. **INHALATION:** Move subject to fresh air. **INGESTION:** If swallowed, consult a physician.

#### Section IX SPECIAL PROTECTION DATA

6/16

**PRECAUTIONS:** Keep from freezing.

62



# Material Safety Data Sheet Window Film

## Section X ENVIRONMENTAL DATA

**ENVIRONMENTAL TOXICITY:** None

**WASTE DISPOSAL:** In accordance with local, state and federal law.

**SPILL PROCEDURES**: Remove and dispose of in accordance with federal, state and local laws.

**CONTAINER DISPOSAL:** In accordance with local, state and federal law.

HAZARDOUS SUBSTANCE: No HAZARD REF 40 CFR 372: No

### Section XI SUPPLIER INFORMATION

Rescom Products has shipped this product at your request with the understanding that we have no control over the storage, handling, and conditions of use, which are of critical importance. Rescom Products does not assume any liability for any injury to persons or property arising out of the use, handling or storage of this material.

6/16

Effective Date: June 7, 2016 supersedes all previous issues.

To the best of our knowledge, the information presented herein is factual. It is obtained from sources believed to be qualified experts, such as raw material suppliers, and it is believed to be true. However, nothing contained in this information is to be taken as a warrantee or representation for which Rescom Products bears legal responsibility. The purchaser or user should review any recommendations in the specific end use to determine the product suitability.

63